


FIG. 2







FIG. 3

LOBBY.HTM

```

95. <TD ... ID = "EVENT_TITLE_LABEL"
98. <TD ... ID = "EVENT_TITLE"
102. <TD ... ID = "EVENT_PRESENTER_LABEL"
105. <TD ... ID = "EVENT_PRESENTER"
109. <TD ... ID = "DATE_TIME_LABEL"
112. <TD ... ID = "DATE_TIME"
116. <TD ... ID = "EVENT_CONTACT_LABEL"
119. <TD ... ID = "EVENT_CONTACT"
123. <TD ... ID = "EVENT_DESCRIPTION_LABEL"
126. <TD ... ID = "EVENT_DESCRIPTION"

```



GLOBAL.JS (GERMAN)

```

24. EVENT_TITLE = "Eunice's 01-12-99 presentation";
25. EVENT_PRESENTER = "Eunice Yan";
26. EVENT_CONTACT = "eunicey";
29. EVENT_DESCRIPTION = "Prüfen Sie Abteilung, die<BR>
30. auf Beegnet PowerPoint <BR>2000 Jan 12, 1999";
53. EVENT_TITLE_LABEL = "Titel:";
54. DATE_TIME_LABEL = "Datum & Zeit:";
55. EVENT_PRESENTER_LABEL = "Anwesender:";
56. EVENT_CONTACT_LABEL = "Kontakt:";
57. EVENT_DESCRIPTION_LABEL = "Beschreibung:";

```

21. SHOW...
22. SHOW...

INTERNAL 166
POWER-POINT
DATA




FIG. 4

